

RANGER



Go Further

ENGINEERED TO EXCEED YOUR EXPECTATIONS



The bar has just been raised... again. The Ranger is a completely different animal, designed and engineered in Australia, the Ranger is built to take on the world. A truck built with no compromise, it was tested in the toughest of climates and terrains across 5 continents to ensure its superior durability.

Completely designed around the driver, the Ranger comes equipped with the latest entertainment and connectivity technology, making it feel more like a modern SUV than a hard working truck.

However, its true truck DNA was not neglected. Chassis, drive train and suspension were totally redesigned to achieve unbeatable towing of up to 3,500kg,* and payloads up to 1,528kg.† And when the going gets really tough you can rely on Ranger's off-road performance, with Locking Rear Differential (LRD)‡ and impressive water wading of up to 800mm.‡

*Braked towing capacity available on 4x2 Hi-Rider and 4x4 models only when fitted with a Genuine Ford towpack and tow ball. Subject to State and Territory towing regulations. †1,528kg payload available on 4x2 XL Single Cab Chassis Hi-Rider 2.2L Diesel only. ‡Locking Rear Differential (LRD) standard on XL Plus, XLS, XLT and Wildtrak. Available as an option on selected models. **800mm water wading available on 4x2 Hi-Rider and 4x4 models only, maintaining a steady speed of not more than 7km per hour.

Ranger 4x4 XLT Double Cab Pick-up shown in Aurora Blue and with optional tow ball.

INSPIRING DESIGN WITH FUNCTIONAL PURPOSE

The Ranger delivers some of the best technology and quality workmanship in its class. In the course of its development, Ford used the same leading-edge simulation technology as formula one teams, performing more than 1,000 full-vehicle aerodynamic simulations to perfect the shape of the vehicle. A rock-solid under-body gives the vehicle its robust vehicle foundation, while its precise upper body design, delivers the distinct styling that meets Ford's rigorous functional requirements.



Style and versatility

The Ranger was designed so you can easily shift from workday to weekend. It gives you the versatility to make the most of every minute away from work.



- 1 - Glove box that fits a 16" laptop
- 2 - Cooled centre console*
- 3 - Back doors open at 90° angle on Super Cab models

*Available on XLT and Wildtrak models only.

Ranger 4x2 XLT Super Cab Pickup Hi-Rider shown in Highlight Silver.

The Ranger Super Cab's body design features rear doors that open at a 90° angle, giving you effortless access to its spacious and cleverly packaged interior. With smart technology and storage capacity, which includes a cooled centre console* and glove box that fits a 16" laptop, the Ranger makes every adventure more comfortable.



THE NEXT GENERATION RANGER TRUCK

The Ranger has everything you expect in a truck and then takes it one step further. With an interior equipped with the latest smart technologies such as iPod* integration, Bluetooth® and voice control standard across the range – and dual-zone electronic climate control and rain sensing wipers on XLT and Wildtrak models – the Ranger is one of the smartest trucks in its class.

Ranger 4x4 XLT Double Cab interior shown with optional Auto transmission.

*iPod is a trademark of Apple Inc. Please refer to ford.com.au for iPod compatibility. Connection cables sold separately. Bluetooth® is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to making a purchase decision.

Smart technology

With some of the most sought after technology at your fingertips every drive in the Ranger is more comfortable.



Ranger 4x4 XLT Double Cab interior shown.

1 - Bluetooth® with voice control

2 - Rain sensing wipers*

3 - iPod integration

4 - Dual-zone electronic climate control with voice control*

*Available on XLT and Wildtrak models only.

A powertrain that delivers, whenever you need it.

Powering the Ranger is the new generation of TDCi Duratorq engines, tested to operate at 400m below and 4500m above sea-level. So whether you're driving along the beach on Fraser Island or climbing the road to Mt. Kosciuszko, you'll have complete confidence that the Ranger is more than capable.


The powerful 3.2L TDCi Diesel engine delivers 147kW power and 470Nm torque with peak torque available from 1500 to 2750 rpm. It uses a Variable Geometry Turbo-charger, which enables lower end torque capability to improve launch and driveability to optimise fuel efficiency.

The economical 2.2L TDCi Diesel engine delivers 110kW power and 375Nm torque. It offers exceptional fuel consumption as low as 7.6L/100km and only 203g/km of CO₂ emissions*.

6-speed automatic transmission.

The highly advanced 6-speed sequential automatic transmission, featuring manual sports mode with brake shift interlock and manual override is effortlessly smooth. The intelligent transmission includes:

- Driver recognition: tailors its responses to individual driving styles.
- Grade control logic: when driving downhill, with sufficient brake pedal pressure, the transmission will downshift to provide increased engine braking.
- Emergency downshift: automatically downshifts to a lower gear if the throttle pedal is pushed hard for heavy acceleration in an emergency situation.
- Brake support: enables early downshifting during heavy braking, to provide engine braking and to optimise gear selection for throttle re-application response.



MORE POWER AND FUEL ECONOMY

There's nothing better than knowing you have the power to get the job done, but also the fuel economy to get it done efficiently. With the line of TDCi engines, the Ranger delivers all the muscle you need along with big fuel savings.

*7.6L/100km and 203g/km of CO₂ emissions achieved with Ranger 4x2 Single Cab, and 4x2 Single Cab Hi-Rider and 4x2 Double Cab Hi-Rider in Manual transmission with 2.2L Diesel engine. Fuel consumption and emissions figures are per Australian Design Rule 81/02 (combined cycle). Note that the actual fuel consumption and emissions will depend on many factors including your driving habits, prevailing conditions and your vehicle's equipment, condition and use. *Engine cover standard on XLT and Wildtrak models only.

- 1 - Auto gearbox
- 2 - 3.2L TDCi Diesel engine*
- 3 - 3.2L TDCi; Maximum power: 147kW power @ 3000rpm
Maximum torque: 470Nm @ 1500 to 2750rpm

SAFETY MADE SMART

Ford has gone to great lengths to ensure that the Ranger is not only a capable and good-looking vehicle, but also engineered for safety. With active and passive safety features, the Ranger is engineered to help keep you safe and in control.



Ranger 4x4 XLT Double Cab Pick-up shown in Aurora Blue.



With comprehensive active and passive safety features, the entire line up of Ranger models come with the maximum ANCAP 5-star safety rating.*

Active safety

The safety features on the Ranger are designed to help you avoid an accident before it occurs. The Dynamic Stability Control (DSC) program aids vehicle control and capability and includes the following intelligent safety features:

- **Hill Descent Control[†] (HDC):** helps the driver stay in control on steep downhill grades
- **Hill Launch Assist (HLA):** helps the driver pull away on steep inclines
- **Trailer Sway Mitigation (TSM):** provides stability and greater control when towing a trailer
- **Load Adaptive Control (LAC):** provides optimal vehicle stability to help you manage your load
- **Emergency Brake Assist (EBA):** maintains maximum brake pressure in emergency stopping situations
- **Emergency Brake Light (EBL):** signals to other drivers by flashing the indicators when the vehicle decelerates quickly
- **Roll-Over Mitigation (ROM):** helps prevent the vehicle getting into a roll-over situation
- **Anti-lock Braking System (ABS)**

Passive safety

The Ranger features a long list of passive safety features designed to help make every journey a safer one. Features include:

- Up to 6 airbags[‡]
- Beltminder™ system[‡]
- 3 point lap sash seat belts in all positions

Vehicles produced May 2014 onwards. [†]On 4x4 models only. [‡]Available on selected models. Please refer to specifications table for further detail.

CONQUER EVERY CHALLENGE IN STYLE

Boasting a sporty, pumped up exterior and sitting high on 18" alloy wheels, the Ranger Wildtrak says 'yes' to whatever adventure you've got planned. The powerful 3.2-Litre Turbo Diesel engine gives you the unbeatable towing capacity of up to 3.5 tonne*, and a payload capacity of up to 1 tonne, while inside you'll find a cabin that's loaded with some of the latest technology. There's a 5" colour display, SatNav, Bluetooth, voice control and iPod Integration. Wildtrak leads the way on safety too, with rear parking assist sensors and an impressive rear view camera which displays the video image in the rear view mirror.



1



2



3

- 1 - Wildtrak interior
- 2 - Rear view camera with rear view mirror display
- 3 - Roller Shutter

Pre-production Ranger Wildtrak shown in Chilli Orange.

*Braked towing capacity when fitted with an optional tow ball. Subject to State and Territory towing regulations.



Single Cab

This is the all-round workhorse you can always rely on. You have all the technology and comfort you want upfront and an exceptional load-space capability in the back.

XL

Bluetooth® and USB/iPod integration

Voice control system that allows you to control:
Bluetooth®, radio, CD Player, external device (USB/iPod)

Cruise control (1)

Power windows and mirrors (2)

3.5" Ice Blue multi-function display

External rope hooks on pick-up models (3)

Steering wheel mounted audio / cruise control buttons

Dynamic Stability Control (DSC)

Overhead console

Anti-lock Braking System (ABS) with
Electronic Brakeforce Distribution (EBD) and Traction Control

Emergency Brake Assist (EBA)

Driver and front passenger airbags

Side curtain airbags

12V auxiliary power socket

8 inner tie down cargo hooks (inside Pick-up box)

Cloth seat trim

Auto headlights

60/40 split bench seat

Manual locking tailgate (Pick-up models)

Volumetric alarm (4)

XL Plus Includes XL features, plus:

Higher ride height

Seat side airbags

A-pillar passenger grab handle

Locking rear differential (LRD)

Towbar (rated 3.5 tonne)

Daytime running lights

Heavy duty seat covers

Secondary battery

Expanded wiring harness

17" steel wheels with all terrain tyres



1



3



4



Ranger 4x2 XLT Super Cab Pick-up Hi-Rider shown in Highlight Silver.

Super Cab

The Super Cab is super-roomy, with two conventional front doors and two rear panel doors that open to the rear, and without a fixed B-pillar, you have easy access to the rear of the cab and the space behind the front seats.

XL

Bluetooth® and USB/iPod integration

Voice control system that allows you to control:
Bluetooth®, radio, CD Player, external device (USB/iPod)

Cruise control

Power windows and mirrors

3.5" Ice Blue multi-function display

External rope hooks on pick-up models

Steering wheel mounted audio / cruise control buttons

Dynamic Stability Control (DSC)

Overhead console

Anti-lock Braking System (ABS) with Electronic Brakeforce
Distribution (EBD) and Traction Control

Emergency Brake Assist (EBA)

Driver and front passenger airbags

Front seat side and front side curtain airbags

12V auxiliary power socket

2 rear hinged doors that open at a 90° angle (1)

In cabin storage behind rear seats

Manual locking tailgate (Pick-up models)

Auto headlamps

6 inner tie down cargo hooks (inside Pick-up box)

Volumetric alarm

XLT Includes XL features, plus:

5" multi-function colour display with SatNav* (2)

Voice control system that allows you to control:
Bluetooth®, radio, CD player, external device (USB/iPod) and climate

Front fog lights

Locking Rear Differential (LRD) (3)

Privacy glass (4)

Cooled centre console

Rain sensing wipers

Electrochromatic rear view mirror

Rear parking sensors

Dual-zone climate control

Chrome radiator grille, sports bar, side steps and door handles

Towbar

Premium cloth trim

Bedliner with 12V socket

Chrome steel rear bumper

Leather wrapped steering wheel and gear knob



*Applicable to vehicles produced from May 2014 onwards



Ranger 4x4 XLT Double Cab Pick-up shown in Aurora Blue.

Double Cab

With car-like comfort and a cabin large enough to comfortably seat up to 5 people, every Double Cab Ranger model takes you from weekday to weekend with ease.

XL

Voice control system that allows you to control: Bluetooth® radio, CD player, external device (USB/iPod)

Cruise control

Power windows and mirrors

3.5" Ice Blue multi-function display

External rope hooks on pick-up models

Steering wheel mounted audio / cruise control buttons

Dynamic Stability Control (DSC) and Emergency Brake Assist (EBA)

Anti-lock Braking System (ABS) with Electronic Brakeforce Distribution (EBD) and Traction Control

Driver and front passenger airbags

Front seat side and front side curtain airbags

4-way manual driver seat adjuster with lumbar support (1)

Manual locking tailgate (Pick-up models)

6 inner tie down cargo hooks (inside Pick-up box)

Volumetric alarm

XL Plus Includes XL features, plus:

Daytime running lights

Locking rear differential (LRD)

Towbar (rated 3.5 tonne)

Secondary battery and expanded wiring harness

Running Boards

17" wheels with all terrain tyres

Heavy duty seat covers

XLS (2) Includes XL features, plus:

Locking Rear Differential (LRD)

Front fog lights

Alloy wheels

Carpet flooring coverings

XLT Includes XLS features, plus:

5" multi-function colour display with SatNav

Voice control system that allows you to control: Bluetooth® radio, CD player, external device (USB/iPod)

Privacy glass

Cooled centre console

Rain sensing wipers

Electrochromatic rear view mirror and rear parking sensors

Dual-zone climate control

Chrome radiator grille, sports bar, side steps and door handles

Towbar

Bedliner (3) with 12V socket

Premium cloth trim

Chrome steel rear bumper

Leather wrapped steering wheel and gear knob

Wildtrak Includes XLT features, plus:

Rear view camera with rear view mirror display


8-way power driver seat adjustment with lumbar support

Heated front seats

Roof rails (4)

Roller shutter

Puddle Lamps



The Ranger

Whether it's a truck for hard work or a holiday off the beaten track, or both, the extensive and versatile selection of models means there's a Ranger that's just right for your needs.

4x2 MODELS



XL Single Cab Chassis 2.2L Diesel Manual



XL Single Cab Chassis Hi-Rider 2.2L Diesel Manual (Auto Option)



XL Single Cab Pick-up 2.2L Diesel Manual



XL Super Cab Chassis Hi-Rider 2.2L Diesel Auto



XLT Super Cab Pick-up Hi-Rider 3.2L Diesel Auto



XL Double Cab Chassis Hi-Rider 2.2L Diesel Auto



XL Double Cab Pick-up Hi-Rider 2.2L Diesel Manual (Auto Option)



XLT Double Cab Pick-up Hi-Rider 3.2L Diesel Manual (Auto Option)

4x4 MODELS



XL Single Cab Chassis
2.2L Diesel Manual / 3.2L Diesel Manual (Auto Option)



XL Plus Single Cab Chassis 3.2L Diesel Auto



XL Super Cab Chassis 3.2L Diesel Manual



XL Super Cab Pick-up 3.2L Diesel Manual



XLT Super Cab Pick-up 3.2L Diesel Manual (Auto Option)



XL Double Cab Chassis
2.2L Diesel Manual (Auto Option) / 3.2L Diesel Manual (Auto Option)



XL Plus Double Cab Chassis 3.2L Diesel Auto



XL Double Cab Pick-up
2.2L Diesel Manual (Auto Option) / 3.2L Diesel Manual (Auto Option)



XL Plus Double Cab Pick-up 3.2L Diesel Auto



XLS Double Cab Pick-up
2.2L Diesel Manual (Auto Option) / 3.2L Diesel Manual (Auto Option)



XLT Double Cab Pick-up 3.2L Diesel Manual (Auto Option)



Wildtrak Double Cab Pick-up
3.2L Diesel Manual (Auto Option)

Colours and Trim

Make the Ranger your own. With a great range of stylish colours and trims, you can customise your Ranger so it's just right for you.

EXTERIOR COLOURS



Cool White*



Frozen White (exclusive to XL Plus)†



True Red^



Aurora Blue*-



Sparkling Gold*-



Gunmetal Blue*-



Highlight Silver**



Metropolitan Grey**



Black Mica*



Chilli Orange (exclusive to Wildtrak)*

WHEELS



XL wheel

4x2 XL
Wheel: 16" X 6.5" steel
Tyre: P215/70 R16
Spare wheel: 16" X 6.5" steel

4x2 XL Hi-Rider, 4x4 XL
Wheel: 16" X 7" steel
Tyre: P255/70 R16
Spare wheel: 16" X 7" steel

XL Plus wheel

4x4 XL Plus
Wheel: 17" X 7.5" steel
Tyre: P265/65 R17
Spare wheel: 17" X 7.5" steel



XLS wheel

4x4 XLS
Wheel: 16" X 7" alloy
Tyre: P255/70 R16
Spare wheel: 16" X 7" steel



XLT wheel

4x2 XLT Hi-Rider
Wheel: 17" X 8" alloy
Tyre: P265/65 R17
Spare wheel: 17" X 7.5" steel

4x4 XLT
Wheel: 17" X 8" alloy
Tyre: P265/65 R17
Spare wheel: 17" X 7.5" steel



Wildtrak wheel

4x4 Wildtrak
Wheel: 18" X 8" alloy
Tyre: P265/60 R18
Spare wheel: 18" X 8" alloy

INTERIOR TRIMS



XL / XLS / XL Plus

Livewire Fabric in River Rock trim seats, with Pulse Fabric in River Rock bolsters.



XLT

Catalyst Fabric in River Rock trim seats and bolsters.



Wildtrak

Journey Grain in Ebony trim seats, with Endurance Fabric in Ebony bolsters.

*Lower grille opening and skid plate painted body colour on selected Wildtrak models. #Prestige paint is an option that incurs an additional charge.
^Colour not available on Wildtrak models. TXL Plus is only available in Frozen White.

Note: All spare wheel tyres match vehicle model road tyres.

Personalise your Ranger. The choice is yours.

The Ford Vehicle Personalisation accessory range lets you personalise your Ranger to perfectly suit your needs.



Snorkel.¹

A higher air intake position provides cooler and cleaner air to the engine and helps assist with water crossings.



EGR hard tonneau cover.²

Helps to keep your valuable equipment and tools secure. Features a single point push button system for easy locking.



Carpet mats.

These stylish hardwearing mats are easy to remove and clean. Anchor points fix the driver's mat to help prevent movement.



Aeroklas canopy.²

This rear hatch canopy increases your storage space and provides secure storage for your valuable equipment and tools.



EGR soft tonneau cover.²

Helps protect equipment and valuables from rain and dust.



Nudge bar.

Tested to Ford's stringent engineering and safety standards, this nudge bar helps protect the front end of the vehicle.



Towpack.³

Genuine Ford towpack makes towing a breeze, whether it's for work or a weekend trip.



Bull bar.

Developed specifically for the Ranger, this bull bar is designed to integrate with the vehicle's airbag system and help to protect the front end of your vehicle in an accident.



18" alloy wheel.⁴

Enhances the exterior appearance of the vehicle. Meets Ford's stringent engineering and safety standards.

Accessories For more information visit ford.com.au

Exterior Styling	XL	XL Plus	XLS	XLT	WILDTRAK
Alloy wheels 17" ⁴	A	A	A	S	–
Alloy wheels 18" ⁴	A	–	A	A	S
CSA alloy wheels, 16" or 17;" 3 styles ²	A	A	A	A	–
Aeroklas canopy 'Stylish' Super and Double Cab Pick-up ²	A	A	A	A	–
Side steps stainless steel Super and Double Cab Pick-up	A	–	A	S	S
Side steps powder coated Super and Double Cab Pick-up	A	–	A	–	–
Sports bar Super and Double cab Pick-up	A	A	A	S	–
Snorkel diesel engines	A	A	A	A	A
EGR tonneau cover soft Single/Super/Double Cab Pick-up ²	A	A	A	A	–
EGR tonneau cover hard 1 piece or 3 piece style Double Cab Pick-up ²	A	A	A	A	–
Exterior Protection					
Bedliners Super and Double Cab Pick-up	A	A	A	S	S
Bedliner rail covers Double Cab Pick-up	A	A	A	–	–
Bedliner cargo restraint Super and Double Cab Pick-up	A	A	A	A	A
Aeroklas U-Box Super and Double Cab Pick-up ^{2,5}	A	A	A	A	A
Bonnet protector (clear or tinted)	A	A	A	A	A
Steel Bull bar	A	O/A	A	A	A
Alloy Bull bar	A	A	A	A	A
Headlamp guards	A	A	A	A	A
Licence plate covers	A	A	A	A	A
Nudge bar	A	A	A	A	A
Spare wheel lock	A	A	A	A	A
Weathershields	A	A	A	A	A
Road Gear cargo mat liners ²	A	A	A	A	A
Interior styling					
Carpet mats	–	–	A	A	–
All weather floor mats Super and Double Cabs	–	–	A	A	A
Gear knob leather (manual only)	A	–	A	S	S
In car entertainment and electrical					
Auxiliary audio plug in cable	A	A	A	A	A
iPod USB integration cable ⁶	A	A	A	A	A
Lumen iPad™ cradle kit Super and Double Cab ⁷	A	A	A	A	A
DVD/CD wallet	A	A	A	A	A
Fridge 'Day Tripper' 15L	A	A	A	A	A
Garmin Nuvi® portable satellite navigation systems ²	A	A	A	A	A
Smokers pack	A	A	A	A	A
Safety					
Go Technologies reverse camera ²	A	A	A	–	S
First aid kit	A	A	A	A	A
Fire extinguisher	A	A	A	A	A
Safety triangle	A	A	A	A	A
Towing and carrying					
Aeroklas Canopy Carry Bars 80kg	A	A	A	A	A
Aeroklas self supporting carry bars and accessories	A	A	A	A	A
Flexiglass alloy tray Cab Chassis	A	A	–	A	–
Rola carry bars ²	A	A	A	A	–
Rhino-Rack® carry bars and accessories ²	A	A	A	A	–
Rhino-Rack® awnings and tents Super and Double Cab Pick-up ²	A	A	A	A	A
Towpack - 2,500Kg 4x2 2.2L diesel Low Rider ³	A	–	–	–	–
Towpack - 3,500Kg 4x2 Hi-Rider and 4x4 Hi-Rider ³	A	A	A	S	S

S = Standard. A = Accessory that can be added at any time. O = Optional. – = Not available.

1. Available on 2.2L Diesel and 3.2L Diesel models only. 2. This accessory is a Supplier Branded Accessory and is not manufactured or warranted by Ford. The warranty is provided by the manufacturer of the accessory. The information in this document relating to the accessory is based on information provided by the accessory manufacturer. Contact your authorised Ford Dealer for details of the accessory manufacturer's warranty applicable to this accessory. 3. Towball not included. 4. Wheels and tyres sold separately. 5. For use in conjunction with bedliners. 6. iPod is a trademark of Apple Inc. 7. iPad is a trademark of Apple Inc.

4x2 Specifications and Options For vehicles produced from April 2014¹

Model	XL Single C/C 2.2 Diesel	XL Single C/CHR 2.2 Diesel	XL Single P/U 2.2 Diesel	XL Super C/C HR 2.2 Diesel	XLT Super P/U HR 3.2 Diesel	XL Double C/C HR 2.2 Diesel	XL Double P/U HR 2.2 Diesel	XLT Double P/U HR 3.2 Diesel
Factory fitted options								
Bench seat with side curtain airbags	S	–	–	–	–	–	–	–
Bucket seat, seat side and side curtain airbags	O	S	S	S	S	S	S	S
Automatic transmission	–	O	–	S	S	S	O ³	O
Locking Rear Differential (LRD)	–	O	–	–	S ²	–	O ⁴	S
Open Rear Differential with Traction Control System	S	S	S	S	–	S	S	–
Vehicle masses⁵								
GVM (kg)	2925	3200	2925	3200	3200	3200	3200	3200
Kerb weight (kg)	1621	1672	1789	1759	2024	1821	1929	2052
Payload (kg)	1304	1528	1136	1441	1176	1379	1271	1148
Front axle load (maximum) (kg)	1325	1480	1325	1480	1480	1480	1480	1480
Rear axle load (maximum) (kg)	1755	1850	1755	1850	1850	1850	1850	1850
Gross combined mass incl. braked trailer (kg)	5425	6000	5425	6000	6000	6000	6000	6000
Exterior Dimensions (mm)								
Overall height	1703	1800	1703	1804	1810	1815	1815	1821
Overall width	1850	1850	1850	1850	1850	1850	1850	1850
Overall length	5110	5110	5359	5110	5351	5110	5359	5351
Front overhang	905	905	905	905	905	905	905	905
Rear overhang	985	985	1234	985	1226	985	1234	1226
Front track, rear track	1590	1560	1590	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220
Ground clearance (unladen, mm)	201	232	201	232	237	232	232	237
Wading depth (mm)	600	800	600	800	800	800	800	800
Approach angle (unladen, degrees)	22	28	22	28	29	28	28	29
Departure angle (unladen, degrees) measured to: a) rear bumper on XL Pick-up models, b) spare tyre on XL Cab Chassis models, c) towbar on XLT and Wildtrak models	24	28	22	28	20	28	27	20
Ramp breakover angle (degrees)	17	24	17	24	25	24	24	25
Turning circle (kerb to kerb)	11.9	12.7	11.9	12.7	12.7	12.7	12.7	12.7
Pick-up Box Dimensions (mm)								
Length - at floor	–	–	2317	–	1847	–	1549	1549
Length - top of box	–	–	2253	–	1783	–	1485	1485
Width - pick-up box	–	–	1560	–	1560	–	1560	1560
Width - between wheelhouses	–	–	1139	–	1139	–	1139	1139
Height - at centreline of axle	–	–	511	–	511	–	511	511
Width of rear opening	–	–	1330	–	1330	–	1330	1330
Height - floor height to ground	–	–	723	–	840	–	835	840
Interior Dimensions (mm)								
Front headroom	1024	1024	1024	1024	1024	1022	1022	1022
Front legroom	1058	1058	1058	1058	1058	1058	1058	1058
Front shoulder room	1440	1440	1440	1440	1440	1440	1440	1440
2nd row headroom	–	–	–	938	938	986	986	986
2nd row legroom	–	–	–	796	796	902	902	902
2nd row shoulder room	–	–	–	1400	1400	1430	1430	1430
Interior Climate Control								
Air conditioning	S	S	S	S	–	S	S	–
Dual-zone climate control	–	–	–	–	S	–	–	S
Audio and Communication								
Bluetooth® with voice control ⁶	S	S	S	S	S	S	S	S

In car entertainment pack 1 (standard on XL): AM/FM stereo radio • single MP3 compatible CD player • integrated audio module • 3.5" Ice Blue multi-function display high audio integrated control panel • AUX • USB/iPod integration • 2 speakers • 2 tweeters (2 additional speakers on Super and Double Cab models)

In car entertainment pack 2 (standard on XLT): same features as per pack 1 plus 5" Colour multi-function display with satellite navigation

S = Standard. A = Accessory that can be added at any time. P = Part of pack. – = Not available.

1. Please consult your Ford Dealer to confirm vehicle production date. 2. Automatic transmission only. 3. LRD Not available. 4. Manual transmission only. 5. Kerb weight and payload values quoted are based on vehicle certification data and are subject to variation. When loading vehicles, it is the operator's responsibility to ensure: Weight of fully loaded vehicle does not exceed GVM. Front and rear individual axle load limits are not individually exceeded. The combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM. Compliance with State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories, added structures and tow ball download (when towing). Kerb Mass includes the vehicle with a full tank of fuel and all standard equipment without occupants. Additional weight of optional features, occupants, luggage, cargo, accessories, added structures and tow ball download (when towing) must be taken into account when calculating kerb weight and payload. Optional features additional weights: 4x2 automatic transmission=14kg, 4x4 automatic transmission=18kg, Air-conditioning=24kg.

Model	XL Single C/C 2.2 Diesel	XL Single C/CHR 2.2 Diesel	XL Single P/U 2.2 Diesel	XL Super C/CHR 2.2 Diesel	XLT Super P/U HR 3.2 Diesel	XL Double C/C HR 2.2 Diesel	XL Double P/U HR 2.2 Diesel	XLT Double P/U HR 3.2 Diesel
Interior								
Leather wrapped steering wheel and gear knob	-	-	-	-	S	-	-	S
Long centre console - double lid with 2 cupholders and coin storage	P ⁷	S	S	S	S	S	S	S
Cooled console	-	-	-	-	S	-	-	S
2 child seat upper anchorage points	-	-	-	S	S	S	S	S
Floor coverings - vinyl	S	S	S	S	-	S	S	-
Floor coverings - carpet	-	-	-	-	S	-	-	S
Front floor mats - driver only	-	-	-	-	S	-	-	S
Cruise control with steering wheel mounted buttons	S	S	S	S	S	S	S	S
2nd powerpoint	S	S	S	S	S	S	S	S
3rd powerpoint rear of console	-	-	-	-	S	-	-	S
Day/night inside rear view mirror	S	S	S	S	-	S	S	-
Electrochromatic rear view mirror	-	-	-	-	S	-	-	S
Power rear windows	-	-	-	-	-	S	S	S
Power front windows (auto driver)	S	S	S	S	S	S	S	S
Rear window defrost	-	-	-	S	S	S	S	S
Privacy glass	-	-	-	-	S	-	-	S
Rain sensing windscreen wipers	-	-	-	-	S	-	-	S
Front seat - bench seat - 60/40	S	-	-	-	-	-	-	-
2 way manual adjustment (bench seat)	S	-	-	-	-	-	-	-
Front seat - 2 separate bucket seats - driver and passenger	O	S	S	S	S	S	S	S
4 way manual driver seat adjustment with lumbar support	P ⁷	S	S	S	S	S	S	S
Exterior								
Prestige paint	O	O	O	O	O	O	O	O
Towbar	-	-	-	-	S	-	-	S
Grille and door handle - black	S	S	S	S	-	S	S	-
Grille and door handle - chrome	-	-	-	-	S	-	-	S
Side steps - tubular chrome	-	-	-	-	S	-	-	S
Tailgate handle - black	-	-	S	-	-	-	S	-
Tailgate handle - chrome	-	-	-	-	S	-	-	S
Tailgate lock manual	-	-	S	-	S	-	S	S
Front and rear mud flaps ⁸	S	S	S	S	S	S	S	S
Chrome tubular sports bar with high mounted stop lamp	-	-	-	-	S	-	-	S
Auto headlamps	S	S	S	S	S	S	S	S
Front fog lights	-	-	-	-	S	-	-	S
Roof mounted centre High mounted stop light	-	-	S	-	-	-	S	-
Body mounted indicators	S	S	S	S	-	S	S	-
Front bumper - body colour	S	S	S	S	S	S	S	S
Rear bumper - body colour	-	-	S	-	-	-	S	-
Rear bumper - chrome steel	-	-	-	-	S	-	-	S
Power adjustable exterior mirrors	S	S	S	S	-	S	S	-
Exterior mirrors with: power adjustable, power folding, heated, turn indicator	-	-	-	-	S	-	-	S
Exterior Body and Box Elements								
Inner tie downs	-	-	S	-	S	-	S	S
Outer tie downs and load rest	-	-	S	-	-	-	S	-
Bedliner and 12V socket on bedliner	-	-	-	-	S	-	-	S
Safety and Security								
Remote keyless entry	S	S	S	S	S	S	S	S
Rear parking sensors	-	-	-	-	S	-	-	S
Volumetric alarm	S	S	S	S	S	S	S	S
Driver and front passenger airbag	S	S	S	S	S	S	S	S
Front seat side airbags	P ⁷	S	S	S	S	S	S	S
Side curtain airbag	S	S	S	S	S	S	S	S
Beltminder - driver only	S	-	-	-	-	-	-	-
Beltminder - driver and front passenger	P ⁷	S	S	S	S	S	S	S
3 point lap sash seat belt in all positions	S	S	S	S	S	S	S	S

Dynamic Stability Control (DSC) incorporating ABS • Hill Launch Assist • Trailer Sway Control • Load Adaptive Control • Emergency Brake Assist • Roll Over Mitigation
Emergency brake light • Traction Control System • Centrally mounted parking brake (standard across all 4x2 models)

S = Standard. A = Accessory that can be added at any time. P = Part of pack. - = Not available.

Locking Rear Differential (LRD)=2.4kg, Bucket vs bench seats=5kg, Additional weight of optional Airbags: a) Side curtain for bench seat=2kg, b) Combined seat side airbags and side curtain airbag for bucket seats=5kg. 6. Bluetooth[®] is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth[®] system prior to making a purchase decision. 7. Mandatory with Bucket Seats. 8. Rear mud flaps on pick-up models only.

4x4 Specifications and Options For vehicles produced from April 2014⁹

Model	XL Single C/C 2.2D/3.2D	XL Plus Single C/C 3.2 D	XL Super C/C 3.2D	XL Super P/U 3.2D	XLT Super P/U 3.2 D	XL Double C/C 2.2D/3.2D	XL Plus Double C/C 3.2 D	XL Double P/U 2.2D/3.2D	XL Plus Double P/U 3.2 D	XLS Double P/U 2.2D/3.2D	XLT Double P/U 3.2D	Wildtrak Double P/U 3.2D
Factory fitted options												
Bench seat with a/c, with side curtain airbags	S	-	-	-	-	-	-	-	-	-	-	-
Bucket seat with a/c, seat side and side curtain airbags	O	S	S	S	S	S	S	S	S	S	S	S
Automatic transmission	- / O ¹⁰	S	-	-	O	O	S	O / O ¹⁰	S	O	O	O
Locking Rear Differential (LRD)	O / O ¹¹	S	-	-	S	-	S	- / O ¹¹	S	S	S	S
Open Rear Differential with Traction Control System	S	-	S	S	-	S	-	S	-	-	-	-
Vehicle masses¹²												
GVM (kg)	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200	3200
Kerb weight (kg)	1762 / 1795	1866	1870	2018	2118	1909 / 1938	2009	2034 / 2068	2124	2030 / 2064	2159	2200
Payload (kg)	1438 / 1405	1334	1330	1182	1082	1291 / 1262	1191	1166 / 1132	1076	1170 / 1136	1041	1000
Front axle load (maximum) (kg)	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480	1480
Rear axle load (maximum) (kg)	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850	1850
Gross combined mass incl. braked trailer (kg)	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000	6000
Exterior Dimensions (mm)												
Overall height	1800	1800	1804	1804	1810	1815	1815	1815	1815	1815	1821	1848
Overall width (mirrors folded / extended)	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163	1950 / 2163
Overall length	5110	5110	5110	5359	5351	5110	5110	5359	5359	5359	5351	5351
Front overhang	905	905	905	905	905	905	905	905	905	905	905	905
Rear overhang	985	985	985	1234	1226	1234	985	1234	1234	1234	1226	1226
Front track, rear track	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560	1560
Wheelbase	3220	3220	3220	3220	3220	3220	3220	3220	3220	3220	3220	3220
Ground clearance (unladen, mm)	232	232	232	232	237	232	232	232	232	232	237	237
Wading depth (mm)	800	800	800	800	800	800	800	800	800	800	800	800
Approach angle (unladen, degrees)	28	28	28	28	29	28	28	28	28	28	29	29
Departure angle (unladen, degrees) measured to:												
a) rear bumper on XL, XL Plus and XLS Pick-up models, b) spare tyre on XL and XL Plus Cab Chassis models, c) tow bar on XL Plus, XLT and Wildtrak models	28	20	28	27	27	28	20	27	20	27	20	20
Ramp breakover angle (degrees)	24	24	24	24	25	24	24	24	24	24	25	25
Turning circle (kerb to kerb)	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7	12.7
Pick-up Box Dimensions (mm)												
Length - at floor	-	-	-	1847	1847	-	-	1549	1549	1549	1549	1549
Length - top of box	-	-	-	1783	1783	-	-	1485	1485	1485	1485	1485
Width - pick-up box	-	-	-	1560	1560	-	-	1560	1560	1560	1560	1560
Width - between wheelhouses	-	-	-	1139	1139	-	-	1139	1139	1139	1139	1139
Height - at centreline of axle	-	-	-	511	511	-	-	511	511	511	511	511
Width of rear opening	-	-	-	1330	1330	-	-	1330	1330	1330	1330	1330
Height - floor height to ground	-	-	-	835	840	-	-	1485	1485	1485	1485	1485
Interior Dimensions (mm)												
Front headroom	1024	1024	1024	1024	1024	1022	1022	1022	1022	1022	1022	1022
Front legroom	1058	1058	1058	1058	1058	1058	1058	1058	1058	1058	1058	1058
Front shoulder room	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440	1440
2nd row headroom	-	-	938	938	938	986	986	986	986	986	986	986
2nd row legroom	-	-	796	796	796	902	902	902	902	902	902	902
2nd row shoulder room	-	-	1400	1400	1400	1400	1430	1430	1430	1430	1430	1430
Interior Climate Control												
Air conditioning	S	S	S	S	-	S	S	S	S	S	-	-
Dual-zone climate control	-	-	-	-	S	-	-	-	-	-	S	S
Audio and Communication												
Bluetooth [®] with voice control ¹³	S	S	S	S	S	S	S	S	S	S	S	S
In car entertainment pack 1 (standard on all XL, XL Plus and XLS models): AM/FM stereo radio · single MP3 compatible CD player · integrated audio module 3" Ice Blue multi-function display high audio integrated control panel · AUX · USB/iPod integration · 2 speakers · 2 tweeters (2 additional speakers on Super and Double Cab models)												
In car entertainment pack 2 (standard on XLT and Wildtrak models): same features as per pack 1 plus 5" Colour multi-function display with satellite navigation												
Interior												
Centre console - double lid with 2 cupholders and coin storage	P ^A	S	S	S	S	S	S	S	S	S	S	S
Cooled console	-	-	-	-	S	-	-	-	-	-	S	S
2 child seat upper anchorage points	-	S	S	S	S	S	S	S	S	S	S	S
Floor coverings - vinyl	S	S	S	S	-	S	S	S	S	-	-	-
Floor coverings - carpet	-	-	-	-	S	-	-	-	-	S	S	S
Leather wrapped steering wheel & gear knob	-	-	-	-	S	-	-	-	-	-	S	S

S = Standard. A = Accessory that can be added at any time. P = Part of pack. - = Not available.

⁹ Please consult your Ford Dealer to confirm vehicle production date. ¹⁰ LRD Not available. ¹¹ Manual Transmission only. ¹² Kerb weight and payload values quoted are based on vehicle certification data and are subject to variation. When loading vehicles, it is the operator's responsibility to ensure: Weight of fully loaded vehicle does not exceed GVM. Front and rear individual axle load limits are not individually exceeded. The combined weight of the fully loaded vehicle (including tow ball download when towing) and trailer does not exceed the GCM. Compliance with State and Territory towing regulations. Payload is the combined value of occupants, luggage, cargo, added options, accessories, added structures and tow ball download (when towing). Kerb Mass includes the vehicle with a full tank of fuel and all standard equipment without occupants. Additional weight of optional features, occupants, luggage, cargo, accessories, added structures and tow ball download (when

4x4 Specifications and Options

Model	XL Single C/C 2.2D/3.2D	XL Plus Single C/C 3.2 D	XL Super C/C 3.2D	XL Super P/U 3.2D	XLT Super P/U 3.2 D	XL Double C/C 2.2D/3.2D	XL Plus Double C/C 3.2 D	XL Double P/U 2.2D/3.2D	XL Plus Double P/U 3.2 D	XLS Double P/U 2.2D/3.2D	XLT Double P/U 3.2D	Wildtrak Double P/U 3.2D
Factory fitted options												
Front floor mats - driver only	-	-	-	-	S	-	-	-	-	S	S	-
Front and rear floor mats - Wildtrak	-	-	-	-	-	-	-	-	-	-	-	S
Cruise control with steering wheel mounted buttons	S	S	S	S	S	S	S	S	S	S	S	S
2nd powerpoint	S	S	S	S	S	S	S	S	S	S	S	S
Front seat - bench seat - 60/40	S	-	-	-	-	-	-	-	-	-	-	-
2-way manual adjustment (bench seat)	S	-	-	-	-	-	-	-	-	-	-	-
Front seat - 2 separate bucket seats - driver and passenger	O	S	S	S	S	S	S	S	S	S	S	S
4-way manual driver seat adjustment with lumbar support	P ¹⁴	S	S	S	S	S	S	S	S	S	S	-
8-way power driver seat adjustment with lumbar support	-	-	-	-	-	-	-	-	-	-	-	S
Heavy duty canvas seat covers	-	S	-	-	-	-	S	-	S	-	-	-
Heated front seats	-	-	-	-	-	-	-	-	-	-	-	S
Day/night inside rear view mirror	S	S	S	S	-	S	S	S	S	S	-	-
Electrochromatic rear view mirror	-	-	-	-	S	-	-	-	-	-	S	S
Power rear windows	-	-	-	-	-	S	S	S	S	S	S	S
Power front windows (auto driver)	S	S	S	S	S	S	S	S	S	S	S	S
Rear window defrost	-	-	-	-	S	S	S	S	S	S	S	S
Privacy glass	-	-	-	-	S	-	-	-	-	-	S	S
Rain sensing windscreen wipers	-	-	-	-	S	-	-	-	-	-	S	S
Exterior												
Prestige paint	O	-	O	O	O	O	-	O	-	O	O	O
Towbar	-	S	-	-	S	-	S	-	S	-	S	S
Fuel tank guard	S	S	S	S	S	S	S	S	S	S	S	S
Door handle - black	S	S	S	S	-	S	S	S	S	S	-	S
Door handle - chrome	-	-	-	-	S	-	-	-	-	-	S	-
Radiator grille painted accent	-	-	-	-	-	-	-	-	-	S	-	-
Radiator grille - Wildtrak	-	-	-	-	-	-	-	-	-	-	-	S
Side steps - tubular chrome	-	-	-	-	S	-	-	-	-	-	S	S
Aluminium Running Boards	-	S	-	-	-	-	S	-	S	-	-	-
Tailgate handle - black	-	-	-	S	-	-	-	S	S	S	-	S
Tailgate handle - chrome	-	-	-	-	S	-	-	-	-	-	S	-
Tailgate lock manual	-	-	-	S	S	-	-	S	S	S	S	S
Front and rear mud flaps ¹⁵	S	S	S	S	S	S	S	S	S	S	S	S
Chrome tubular sports bar with high mounted stop lamp	-	-	-	-	S	-	-	-	-	-	S	-
Wildtrak sports bar and roof rails	-	-	-	-	-	-	-	-	-	-	-	S
Auto headlamps	S	S	S	S	S	S	S	S	S	S	S	S
Front fog lights	-	-	-	-	S	-	-	-	-	S	S	S
Roof mounted centre high mounted stop light	-	-	-	S	-	-	S	S	S	S	-	-
Body mounted indicators	S	S	S	S	-	S	S	S	S	S	-	-
Front and rear bumpers - black ¹⁵	-	S	-	-	-	-	S	-	S	-	-	-
Front and rear bumpers - body colour ¹⁵	S	-	S	S	-	S	S	S	S	S	-	-
Rear bumper - accent steel	-	-	-	-	-	-	-	-	-	-	-	S
Rear bumper - chrome steel	-	-	-	-	S	-	-	-	-	-	S	-
Power adjustable exterior mirrors	S	S	S	S	-	S	S	S	S	S	-	-
Exterior mirrors with: power adjustable, power folding, heated, turn indicator, Puddle lamps	-	-	-	-	S	-	-	-	-	-	S	S
Exterior Body and Box elements												
Inner tie downs	-	-	-	S	S	-	-	S	S	S	S	S
Outer tie downs	-	-	-	S	-	-	-	S	S	S	-	-
Load rest	-	-	-	S	-	-	-	S	S	S	-	-
Bedliner and 12V socket on bedliner	-	-	-	-	S	-	-	-	-	-	S	S
Roller shutter	-	-	-	-	-	-	-	-	-	-	-	S
Safety and security												
Remote keyless entry	S	S	S	S	S	S	S	S	S	S	S	S
Rear parking sensors	-	-	-	-	S	-	-	-	-	-	S	S
Rear view camera	-	-	-	-	-	-	-	-	-	-	-	S
Volumetric alarm	S	S	S	S	S	S	S	S	S	S	S	S
Driver and front passenger airbag	S	S	S	S	S	S	S	S	S	S	S	S
Front seat side airbags	P ¹⁶	S	S	S	S	S	S	S	S	S	S	S
Side curtain airbag	S	S	S	S	S	S	S	S	S	S	S	S
Beltminder™ - driver only	S	-	-	-	-	-	-	-	-	-	-	-
Beltminder™ - driver and front passenger	P ¹⁷	S	S	S	S	S	S	S	S	S	S	S
3 point lap sash seat belt in all positions	S	S	S	S	S	S	S	S	S	S	S	S
Dynamic Stability Control (DSC) incorporating ABS · Hill Launch Assist · Trailer Sway Control · Load Adaptive Control · Emergency Brake Assist Roll Over Mitigation · Emergency brake light · Traction Control System · Hill Descent Control (standard across all 4x4 models)												
Parking brake - handbrake for bench seat mounted centrally, same as dual front seat. (standard across all 4x4 models)												

S = Standard. A = Accessory that can be added at any time. P = Part of pack. - = Not available.

towing) must be taken into account when calculating kerb weight and payload. Optional features additional weights: 4x2 automatic transmission=14kg, 4x4 automatic transmission=18kg, Air-conditioning=24kg, Locking Rear Differential (LRD)=24kg, Bucket vs bench seats=5kg, Additional weight of optional Airbags: a) Side curtain for bench seat=2kg, b) Combined seat side airbags and side curtain airbag for bucket seats=5kg. 13. Bluetooth® is a registered trademark of Bluetooth SIG Inc., and is used under licence. Customers should consult their Ford Dealer on the ability of their mobile phone handset to integrate with the Bluetooth® system prior to making a purchasing decision. 14. Mandatory with Bucket Seats. 15. Rear mud flaps on pickup models only. 16. Bucket Seats only. 17. With Bucket Seats, Seat side airbags and Side Curtain airbags only.

Mechanical Specifications For vehicles produced from April 2014¹

Engine	2.2L Diesel		3.2L Diesel	
Engine type	4 cylinder		5 cylinder	
Engine size (cm ³)	2198		3198	
Compression ratio	15.7:1		15.7:1	
Maximum power ²	110kw @ 3700rpm		147kW @ 3000rpm	
Maximum torque ²	375Nm @ 1500-2500rpm		470Nm @ 1500-2750rpm	
No. of valves	16		20	
Bore x stroke	86 x 94.6mm		89.9 x 100.76mm	
Fuel management system	Turbocharged direct common rail injection		Turbocharged direct common rail injection	
Transmission ratios	6-speed manual	6-speed auto	6-speed manual	6-speed auto
1st	5.441	4.171	5.441	4.171
2nd	2.839	2.342	2.839	2.342
3rd	1.721	1.521	1.721	1.521
4th	1.223	1.143	1.223	1.143
5th	1.000	0.867	1.000	0.867
6th	0.794	0.691	0.794	0.691
Reverse	4.935	3.400	4.935	3.400
4x4 high/low range transfer case ratios				
High range	1.000:1		1.000:1	
Low range	2.717:1		2.717:1	
Final drive ratios				
4x2 Low Rider	3.31	–	–	–
4x2 Hi-Rider	3.55	3.73	3.55	3.73
4x4	3.55	3.73	3.55	3.73
Fuel tank capacity (L)	80		80	

Fuel Consumption³ - 4x2

Engine	2.2L Diesel		3.2L Diesel	
Transmission / Model	XL / Manual	XL / Auto	XL / Manual	XL / Auto
Single Fuel economy (L/100km)	76	8.9	–	–
CO ₂ emissions (g/km)	203	238	–	–
Super Fuel economy (L/100km)	–	8.9	–	8.9
CO ₂ emissions (g/km)	–	238	–	239
Double Fuel economy (L/100km)	76	8.9	8.4	8.9
CO ₂ emissions (g/km)	203	238	222	239

Fuel Consumption³ - 4x4

Engine	2.2L Diesel			3.2L Diesel								
Transmission	Manual		Auto	Manual			Auto					
Model	XL	XLS	XL/XLS	XL	XLS	XLT	Wildtrak	XL	XL Plus	XLS	XLT	Wildtrak
Single Fuel economy (L/100km)	8.1	–	–	8.9	–	–	–	9.2	9.2	–	–	–
CO ₂ emissions (g/km)	216	–	–	235	–	–	–	246	246	–	–	–
Super Fuel economy (L/100km)	–	–	–	8.9	–	8.9	–	–	–	–	9.2	–
CO ₂ emissions (g/km)	–	–	–	235	–	235	–	–	–	–	246	–
Double Fuel economy (L/100km)	8.1	8.1	9.4	8.9	8.9	9.4	9.4	9.2	9.2	9.2	9.2	9.6
CO ₂ emissions (g/km)	216	216	251	235	235	248	248	246	246	246	246	256

Maximum Braked Towing Capacity⁴ (Maximum unbraked towing capacity is 750kg for all models)

Engine	2.2L Diesel			3.2L Diesel		
Transmission	6-speed manual		6-speed auto	6-speed manual		6-speed auto
4x2	2500	–	–	–	–	–
4x2 Hi-Rider	–	3500	3500	3500	–	3500
4x4	–	3500	3500	3500	–	3500

Maximum Gross Combination Mass

Engine	2.2L Diesel			3.2L Diesel		
Transmission	6-speed manual		6-speed auto	6-speed manual		6-speed auto
4x2	5425	–	–	–	–	–
4x2 Hi-Rider	–	6000	6000	6000	–	6000
4x4	–	6000	6000	6000	–	6000

1. Please consult your Ford Dealer to confirm vehicle production date. 2. Power and torque figures measured using premium unleaded fuel (95RON). 3. Fuel consumption and emissions as per Australian Design Rule 81/02 (combined cycle). Note that the actual fuel consumption will depend on many factors including the driver's driving habits, prevailing conditions and the vehicle's equipment, condition and use. 4. Braked towing capacity when fitted with a Genuine Ford towpack and tow ball, subject to State and Territory towing regulations. The weight of the vehicle must not exceed the Gross Vehicle Mass (GVM). The combined weight of the fully loaded vehicle and trailer must not exceed the Gross Combination Mass (GCM). Maximum individual axle loads must not be exceeded. Tow ball downforce must be taken into account when calculating payload. Tow ball download must be a minimum of 10% of the towed weight for all model variants. Tow ball download must not exceed 335kg for all model variants built prior to 1 November, 2012. Tow ball download must not exceed 350kg for all model variants built on or after 1 November, 2012.



Ranger 4x4 XLS Double Cab Pick-up shown in True Red.



Quality

We design and build your Ford to feel as good after many years of service as it did the day you picked it up. And to drive just as beautifully, too.



Sustainability

Using advanced technology, we're committed to creating vehicles with improved fuel economy, reduced CO₂ emissions and a lower overall cost of ownership.



Safety

Ford's Intelligent Protection System uses sophisticated technology designed to help prevent an accident and, if one should happen, to help protect you.



Smart

Vehicles with smart, intuitive technologies designed to connect you to your world and many clever solutions that make life a little easier.

Speak to your Ford Dealer today about how we can help you make the most out of your vehicle ownership experience.

Complimentary State Auto Club Roadside Assistance and Membership.

Our commitment to your complete satisfaction plays a major role in everything we do. That is why we provide a 12 month Roadside Assistance package including State Auto Club Membership for all Retail and Blue Fleet Customers (with fleets less than 5 vehicles).

This package gives you access to the largest network of roadside assistance providers in the country, so you can be assured that you have non-stop coverage every day of the year.

The benefits of being a member are not limited to the peace of mind of 24/7 roadside assistance. You also have access to a wide range of member benefits including Show Your Card & Save. In addition, you will maintain any benefits accrued through your existing years of membership (where applicable).

Complimentary State Auto Club Roadside Assistance & Membership is valid for eligible Ford vehicles and is available from participating Authorised Ford Dealers only. Visit your local Ford Dealer or refer to ford.com.au for more information and full terms and conditions.



Warranties & Service.

3 year/100,000km new car warranty.#

For three years or 100,000km, whichever comes first, your Ford is covered against any defects in factory materials or workmanship. This also applies to Genuine Ford Accessories you may have had fitted before you took delivery.

5 year warranty against perforation corrosion.#

It's reassuring to know that the original body of your gleaming new Ford is guaranteed against perforation corrosion for the first five years of its life. If perforation corrosion occurs, we'll fix it for free.

myFord Warranties and Insurance.

When you first turn the key of your brand new Ford you want to do so without a care in the world. Our range of myFord products gives you that extra peace of mind. For more information about myFord Warranties and Insurance, visit your participating Ford Dealer for further details on the plans that best suit your needs. Terms, conditions and eligibility criteria apply.

12 months/15,000km service intervals.

Under normal driving conditions service intervals are 12 months or 15,000km, whichever occurs first.

myFord Capped Price Servicing.

Your new Ford vehicle now gives you access to myFord Capped Price Servicing, which means it makes even more sense to have your Ford looked after by the people who know your Ford back to front, inside and out. With myFord Capped Price Servicing, Ford will publish the maximum price you will pay for a logbook service at participating Authorised Ford Dealers for all vehicles built from 2007 up to 7 years or 135,000 kilometres, whichever comes first. In addition, when vehicles are serviced under myFord Capped Price Servicing,

Retail and Small Business Customers (with fleets less than 5 vehicles) will also receive a complimentary 12 months Roadside Assistance package including State Auto Club Membership.

For more details visit your local Ford Dealer or visit ford.com.au/myfordcps for full terms and conditions.



Want to contact us?

For answers to your questions, or help with any concern, contact our Customer Relationship Centre on 13 FORD (13 3673) or email customers@fordcrc.com.au

Visit us on the web.

If you want more information on Ford or our entire product range, visit us at ford.com.au

Running a fleet?

Our Ford Fleet team is available to assist fleet customers with information on Ford products and services. Call 1300 13 13 30 or email askfleet@ford.com

#Conditions and exclusions apply. For more information visit ford.com.au/newvehiclewarranties

This brochure details specifications and features of the PX Ranger built from April 2014 production onwards. Please consult your Ford Dealer for the most recent specifications and availability information.

This brochure is designed to provide you with a general introduction to the Ford Products (including available optional equipment) referred to, and should be read in conjunction with the latest specification sheet. Because of changes in conditions and circumstances Ford* reserves the right, subject to all applicable laws, at any time, at its discretion, and without notice, to discontinue or change the features, designs, materials, colours and other specifications and the prices of its products, and to either permanently or temporarily withdraw any such products from the market without incurring any liability to any prospective purchaser or purchasers. The latest specification sheet should be referred to for information on the availability, ordering and use of optional equipment. Always consult an authorised Ford Dealer for the latest information with respect to features, specifications, prices, optional equipment and availability before deciding to place an order.

*FORD MOTOR COMPANY OF AUSTRALIA LIMITED. (A.B.N. 30 004 116 223) Registered Office: 1735 Sydney Road, Campbellfield, Victoria 3061, Australia. Printed August, 2014. BHFMC0063. PX Ranger Brochure. FRD001820



Go Further

ford.com.au

Click to Request



Quote



Hot Deals



Test Drive