


ENGINE 3.5-Liter, 24-Valve, SOHC VTEC® V-6 Engine		High-Mounted Fresh-Air Intake		
250 hp @ 5700 rpm (SAE net)		Multi-Point Fuel Injection		
247 lb-ft @ 4300 rpm (SAE net)		Direct Ignition System with Immobil	lizer	
Bore and Stroke (mm): 89 x 93		ULEV-2 Emissions Rating¹		
Compression Ratio: 10.0:1		100K +/- Miles No Scheduled Tune-Ups*		
Drive-by-Wire™ Throttle System		Took of Times No Schodaled Tane	000	
DRIVETRAIN				
5-Speed Automatic Transmission		Variable Torque Management® 4 W/b	upol Drivo System (VTM 4®)	
Gear Ratios: 1st: 2.697, 2nd: 1.606, 3rd: 1.071, 4th: 0.766,		Variable Torque Management® 4-Wheel-Drive System (VTM-4®) Locking Rear Differential		
5th: 0.538, Reverse: 1.889, Final Drive: 4.533		Heavy-Duty Automatic-Transmission-Fluid Cooler		
		Tieavy-Duty Automatic-manarinasion	I-I Idia Coolei	
TOWING		Later control Clare BUT- Teach State		
ntegrated Closed-Box Frame with Unit-Body Construction		Integrated Class III Trailer Hitch Pre-Wired for Trailer Brake Controller		
Fully Boxed High-Strength Steel (HSS) Frame Rails and Crossmembers with Internal Stiffeners				
		6050-lb Gross Vehicle Weight Rating (GVWR)		
Heavy-Duty Radiator with Dual 160-Watt Fans		10,085-lb Gross Combined Weight Rating (GCWR)		
Heavy-Duty Power-Steering-Fluid Cooler Pre-Wired for Trailer Harness (RTS and RTL Include Trailer Harness)		5000-lbTowing Capacity ² Total Payload Capacity (<i>lbs</i>): 1546 (RT/RTS), 1497 (RTL), 1486 (RTL w/Na		
·	arri699)	iotai i ayioad Capacity (ibs). 1546 (N	1/1110/, 1407 (ITTE), 1400 (NTE W/N	
BODY/SUSPENSION/CHASSIS				
Steering Ratio: 18.5:1			Stabilizer Bar (mm, front/rear): 23.0/25.4	
Steering Wheel Turns, Lock-to-Lock: 3.38		Steel-Reinforced Composite (SRC) Cargo Bed		
Furning Diameter, Curb-to-Curb (ft): 42.6			MacPherson Strut Front Suspension	
Power-Assisted Ventilated Front Disc/Solid Rear Disc Brakes			Multi-Link Rear Suspension with Trailing Arms	
Styled Steel Wheels (RT)/17" Alloy Wheels (RTS)/18" Alloy 17" P245/65 R17 105T (RT, RTS) P245/60 R18 104T (RTL) Al		Variable Power-Assisted Rack-and-Pinion Steering		
	I-Season Hres			
SAFETY				
3-Point Seat Belts at All Seating Positions		Child-Proof Rear Door Locks		
Front 3-Point Seat Belts with Automatic Tensioning System		Anti-Lock Braking System (ABS)		
Dual-Stage, Multiple-Threshold Front Airbags (SRS)		Electronic Brake Distribution (EBD)		
ront Side Airbags with Passenger-Side Occupant Position I	Detection	Vehicle Stability Assist™ (VSA®) with Traction Control		
System (OPDS)		Brake Assist		
Side Curtain Airbags with Rollover Sensor		Tire Pressure Monitoring System³ (TPMS)		
Driver's and Front Passenger's Active Head Restraints		Lower Anchors and Tethers for CHildren (LATCH)		
Side-Impact Door Beams		Daytime Running Lights (DRL)		
EXTERIOR MEASUREMENTS	RT	RTS	RTL	
Vheelbase (in)	122.0	122.0	122.0	
_ength (in)	207.0	207.0	207.0	
Height (in)	70.3	70.3	71.2	
Nidth (in)	77.8	77.8	77.8	
rack (in, front/rear)	67.1/66.9	67.1/66.9	67.1/66.9	
Minimum Ground Clearance (in)	8.2	8.2	8.2	
Approach/Departure Angles (degrees)	24.5/22.0	24.5/22.0	24.5/22.0	
Cargo Bed Length (in, tailgate up/down)	60.0/79.0	60.0/79.0	60.0/79.0	
Cargo Bed Width (in, between wheelwells)	49.5	49.5	49.5	
Heavy-Duty Tie-Down Cleats (8) Capacity (lbs per cleat)	350	350	350	
n-Bed Trunk® Capacity (cu ft)	8.5	8.5	8.5	
Curb Weight (lbs)	4504	4504	4553/4564 with Navigation	
Weight Distribution (%, front/rear)	58/42	58/42	58/42	
INTERIOR MEASUREMENTS				
Headroom (in, front/rear)	40.7/39.1	40.7/39.1		
Headroom with Moonroof (in, front/rear)			38.7/39.0	
_egroom (in, front/rear)	40.8/36.4	40.8/36.4	40.8/36.4	
Shoulder Room (in, front/rear)	63.2/62.6	63.2/62.6	63.2/62.6	
Hiproom (in, front/rear)	57.6/57.2	57.6/57.2	57.6/57.2	
Passenger Volume (cu ft)	112.0	112.0	108.9	
2nd-Row Under-Seat Storage (cu ft)	2.6	2.6	2.6	
Seating Capacity	5	5	5	
EPA MILEAGE ESTIMATES / CAPACITIES				
5-Speed Automatic (City/Highway/Combined)	15/20/17	15/20/17	15/20/17	
Crankcase (gt)	5.3	5.3	5.3	
			0.5	
	8.5	8.5	8.5	
Coolant System (qt) Fuel (gal)	8.5 22.0	22.0	22.0	

EXTERIOR FEATURES	RT	RTS	RTL
Power Moonroof			•
Dual-Action Tailgate	•	•	•
In-Bed Trunk	•	•	•
Variable Intermittent Windshield Wipers with Automatic Heated Wiper Zone	•	•	•
Remote Entry System	•	•	•
Security System		•	•
Privacy Glass		•	•
Heat-Rejecting Green-Tinted Glass	•	•	•
Body-Colored Door Handles	Black	•	•
Folding Power Side Mirrors	•	Body-Colored	Body-Colored/Heated
Integrated Bed Lights (4) with Auto-Off Timer	•	•	•
Heavy-Duty Tow Hooks (front and rear)	•	•	•
Multi-Reflector Halogen Headlights with Auto-Off	•	•	•
Fog Lights			•
COMFORT & CONVENIENCE			
Air Conditioning with Air-Filtration System	•		
Dual-Zone Automatic Climate Control with Air-Filtration System		•	•
Honda Satellite-Linked Navigation System™5 with Voice Recognition and Rearview Camera			Available
Bluetooth® HandsFreeLink®			with Navigation
Power Windows with Auto-Up/Down Driver's Window	•	•	•
Power Sliding Rear Cabin Window	•	•	•
Power Door Locks	•	•	•
Steering Wheel-Mounted Controls	Cruise	Cruise/Audio	Cruise/Audio
Steering Wheel-Mounted Navigation and Phone Controls			with Navigation
Cruise Control	•	•	•
Leather-Wrapped Steering Wheel			•
Adjustable Steering Column	•	•	•
Multifunctional Center Storage Console with Sliding Armrest	•	•	•
Driver's and Front Passenger's Illuminated Vanity Mirrors	•	•	•
HomeLink® Remote System ⁷			•
Ambient Console Lighting	•	•	•
Map Lights/Sunglasses Holder Rearview Mirror with Compass	•	•	
Beverage Holders (2 front, 4 rear)	•	•	without Navigation
12-Volt Power Outlets (2 front, 1 rear)	•	•	•
115-Volt Power Outlet (center console)			•
Door-Pocket Storage Bins	•	•	•
Grab Rails (front and rear)	•	•	•
Rear Console Vents	•	•	•
All-Weather Heavy-Duty Floor Mats		•	
Carpet Floor Mats			•
SEATING			
Leather-Trimmed Interior			•
Heated Front Seats			•
Driver's Seat with 10-Way Power Adjustment Including Power Lumbar Support		•	•
		•	•
Adjustable Front Seat-Belt Anchors	•	-	
	•	•	•
Adjustable Front Seat-Belt Anchors		•	•
Adjustable Front Seat-Belt Anchors 60/40 Lift-Up Rear Seat with Under-Seat Storage		•	•
Adjustable Front Seat-Belt Anchors 60/40 Lift-Up Rear Seat with Under-Seat Storage Head Restraints at All Seating Positions AUDIO SYSTEMS		•	•
Adjustable Front Seat-Belt Anchors 60/40 Lift-Up Rear Seat with Under-Seat Storage Head Restraints at All Seating Positions	•	•	•
Adjustable Front Seat-Belt Anchors 60/40 Lift-Up Rear Seat with Under-Seat Storage Head Restraints at All Seating Positions AUDIO SYSTEMS 100-Watt AM/FM/CD Audio System with 6 Speakers 160-Watt AM/FM/6-Disc In-Dash CD Audio System	•	•	•
Adjustable Front Seat-Belt Anchors 60/40 Lift-Up Rear Seat with Under-Seat Storage Head Restraints at All Seating Positions AUDIO SYSTEMS 100-Watt AM/FM/CD Audio System with 6 Speakers 160-Watt AM/FM/6-Disc In-Dash CD Audio System with 7 Speakers, Including Subwoofer	•		
Adjustable Front Seat-Belt Anchors 60/40 Lift-Up Rear Seat with Under-Seat Storage Head Restraints at All Seating Positions AUDIO SYSTEMS 100-Watt AM/FM/CD Audio System with 6 Speakers 160-Watt AM/FM/6-Disc In-Dash CD Audio System with 7 Speakers, Including Subwoofer MP3/Windows Media* Audio* (WMA) Playback Capability	•		•

^{*}Does not apply to fluid and filter changes. May vary with driving conditions. Please see your Honda dealer for details.





Want your own look? Ask your dealer about Honda Genuine Accessories. These include running boards, side steps, roof

rack, bed extender and tonneau cover. They're designed, engineered and tested to meet the same exacting standards as your new vehicle -a high-quality way to make your new Honda one of a kind.





Your dealer's team of trained technicians is ready to help keep your Honda in superb shape. All 2010 Honda vehicles - and any Honda Genuine Accessories installed at the time of purchase-are covered by the 3-year/36,000-mile New-Vehicle Limited Warranty.10 Plus, Honda cars and trucks are covered by a 5-year/60,000-mile Limited Powertrain Warranty, too.10 For more information or assistance, see your Honda dealer or please give us a call at 1-800-33-Honda.

HONDA

Financial Services

Whether you buy or lease a Honda vehicle, Honda Financial Services can assist you with the process. Please ask your dealer which lease or purchase plan best suits your needs.

HONDA

Honda Care® is a highly affordable, comprehensive vehicle and travel protection plan backed by Honda reliability, service and parts. Please see vour Honda dealer for details.



Visit us at automobiles.honda.com

Get the latest photos, MSRPs, specs and more. You can "build" your own Honda, accessorize it-even ask for a dealer price quote, apply for financing and check dealer inventories online.

1 ULEV-2 rated by California Air Resources Board (CARB). 2 Towing requires the addition of the Honda accessory towing kit and hitch ball. Trailer harness standard on RTS and RTL models. Premium unleaded fuel recommended when towing. Please see your Honda dealer for details. ³ For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details. 4 Based on 2010 EPA mileage estimates, reflecting new EPA fuel economy methods beginning with 2008 models. Use for comparison purposes only. Do not compare to models before 2008. Your actual mileage will vary depending on how you drive and maintain your vehicle. ⁵The Honda Satellite-Linked Navigation System™ is available on RTL models in the United States, except Alaska, Please see your Honda dealer for details. 6 The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license. 7 HomeLink and the HomeLink house are registered trademarks of Johnson Controls. 8 Windows Media is a trademark or registered trademark of Microsoft Corporation in the United States and/or other countries. 9 Required XM Radio subscription sold separately after 90-day trial period. Subscriptions are governed by the XM Customer Agreement available at xmradio.com/serviceterms. Other fees and taxes apply after trial period; see XM Customer Agreement for details. Fees and programming subject to change. Service not available in Canada, Alaska, or Hawaii. © 2009 SIRIUS XM Radio Inc. SIRIUS, XM and all related marks and logos are trademarks of SIRIUS XM Radio Inc. and its subsidiaries. 193-Year/36,000-Mile Limited Warranty. 5-Year/60,000-Mile Limited Powertrain Warranty. Ordinary maintenance or adjustments, parts subject to normal wear and replacement, and certain items are excluded. Please see your Honda dealer for details. 11 Kelley Blue Book's kbb.com awarded Honda six Best Resale Value Awards for the 2009 Civic, the 2009 Civic Hybrid, the 2009 CR-V, the 2009 Fit, the 2009 Odyssey and overall Brand. www.kbb.com/brva09. Vehicle's projected resale value is specific to the 2009 model year. Kelley Blue Book is a registered trademark of Kelley Blue Book Co., Inc. 12 Based on 2009 model-year study. IntelliChoice,* Inc. www.intellichoice.com. 13 Automotive Lease Guide, 2009 Industry Brand Residual Value Award. Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in the rear seat. Specifications, features, illustrations and equipment shown in this brochure are based upon the latest available information at the time of printing. Although descriptions are believed to be correct, accuracy cannot be guaranteed. American Honda Motor Co., Inc., reserves the right to make changes at any time, without notice or obligation, in colors, specifications, accessories, materials and models. Some features mentioned herein are not available in all areas. Please see your Honda dealer for details. Some vehicles may be shown with optional equipment. Available = Optional. All images contained herein are either owned by American Honda Motor Co., Inc., or used under a valid license. It is a violation of federal law to reproduce these images without express written permission from American Honda Motor Co., Inc. or the individual copyright owner of such images. Honda Financial Services is a DBA of American Honda Finance Corporation. Honda, the H-mark symbol, Honda Care, Honda Satellite-Linked Navigation System, Drive-by-Wire, HandsFreeLink, In-Bed Trunk, Variable Torque Management, VTM-4 and VTM-4 Lock, Vehicle Stability Assist, VSA and VTEC are trademarks of Honda Motor Co., Ltd. © 2009 American Honda Motor Co., Inc.

Every Honda is a smart value thanks to timeless design, great reliability and extended maintenance intervals. Check out our Best Overall Brand Award and Best Resale Value Awards¹¹ from Kelley Blue Book's kbb.com, Best Overall Value Awards from

IntelliChoice®12 and – for our sixth year in a row-Industry Best Residual Value Award from Automotive Lease Guide¹³





